# SAFETY DATA SHEET

# SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT NAME: CASE SIZE K

PRODUCT USE: CARTRIDGE CASE SIZING LUBRICANT - METAL PROTECTION

Refer to label, available technical information, and other

RESTRICTIONS ON USE: appropriate sections of this SDS.

UN NUMBER:

PROPER SHIPPING NAME:

MANUFACTURER'S NAME:

NOT REGULATED

NOT REGULATED

QA Lubricants, Inc.

ADDRESS: 1932 W. Winton Ave. Suite 5-6, Hayward, CA 94545

EMERGENCY PHONE: Infotrac: 1-800-535-5053

Outside North America: +1-352-323-3500 Product Information: +1 909-686-4094

DATE OF REVISION: 8/16/2024

## SECTION 2 - HAZARDS IDENTIFICATION

**SIGNAL WORD: WARNING** 

#### **HAZARD STATEMENTS:**

**BUSINESS PHONE:** 

H316: Causes mild skin irritation.

## PRECAUTIONARY STATEMENTS: (PREVENTION)

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

Wash all exposed skin/hair thoroughly after handling.


Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapours/spray.

### HAZARDOUS MATERIAL IDENTIFICATION SYSTEM

HEALTH HAZARD (BLUE)	0	
FLAMMABILITY HAZARD (RED)	1	
PHYSICAL HAZARD (YELLOW)	0	
PERSONAL PROTECTION		

Hazard Scale
0=Minimal
1=Slight
2=Moderate
3=Serious
4=Severe
\*=Chronic hazard



CASE SIZE K Page 1 of 5

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

CAS# **Hazardous Ingredients** 

ICSC#

EC#

**WT %** 

PROPRIETARY POLYMER

## SECTION 4 - FIRST AID MEASURES

Exposed individuals must be taken for medical attention if any adverse effect occurs. Take a copy of this SDS to the health professional with the individual. Call a POISON CENTER or doctor/physician if you feel unwell.

WARNING: Harmful in contact with skin. Causes eye irritation. May cause respiratory irritation. Also refer to Section 11 for symptoms, effects, and likely routes of exposure for this product.

#### **TARGET ORGANS:**

ACUTE: irritation of skin, eyes, respiratory and gastrointestinal systems.

CHRONIC: irritation of skin, eyes, respiratory and gastrointestinal systems. Repeated overexposure to alkanolamines may cause liver and kidney damage.

SKIN EXPOSURE: IF ON SKIN: Wash with soap and water. Minimum flushing time is for 15 minutes. Take off contaminated clothing and wash before reuse. P332+P313: If skin irritation occurs: Get medical advice/attention. P312: Call a POISON CENTER or doctor/physician if you feel unwell.

EYE EXPOSURE: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. Use sufficient force to open the eyelids. Have the exposed individual "roll" their eyes. Minimum flushing time is for 15 minutes. If eye irritation persists get medical advice/attention.

**INHALATION:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If vapors, mists, dust or sprays generated by this product are inhaled, remove exposed individual to fresh air.

INGESTION: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Exposed individual must seek immediate medical attention if any adverse effect occurs. Never induce vomiting or give diluents (milk or water) by mouth to someone who is unconscious, having convulsions, or unable to swallow.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Skin and respiratory disorders, as well as conditions involving the "Target Organs (kidney, liver)" may be aggravated by prolonged exposures to this product. Exposed individual must seek immediate medical attention if any adverse effect occurs.

NOTES TO PHYSICIAN: Treat symptoms as demonstrated by signs and distress in the patient.

## **SECTION 5 - FIRE FIGHTING MEASURES**

SUITABLE (AND UNSUITABLE) **EXTINGUISHING MATERIALS:** 

Water spray, dry chemical, foam or CO2 are suitable extinguishing materials.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Thermal decomposition may yield carbon monoxide, carbon dioxide and/or nitrogen dioxide.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:

Firefighters should wear fully protective clothing (chemical impermeable, fully encapsulated suit) and positive pressure self-contained breathing apparatus. Do not release run off from fire control methods to sewer or waterways.

#### SECTION 6 - ACCIDENTAL RELEASE MEASURES

# PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, ENVIRONMENTAL PRECAUTIONS AND EMERGENCY PROCEDURES.

WARNING: Any container expansion or rounding indicates pressure build-up. Use extreme caution. When opening, release pressure slowly through opening.

**SPILL AND LEAK RESPONSE:** Uncontrolled releases should be responded to by appropriately trained personnel using preplanned procedures. Proper protective equipment should be used, refer to Section 8 - exposure controls. P391: Collect spillage.

Small Spill: Mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill: Restrict access to the area. Provide adequate protective equipment and ventilation. Stop leak if without risk. Remove chemicals which can react with the spilled material. Add dry inert material to contain and absorb spilled material. Prevent entry into surface waters, sewers, basements or confined areas, dike if needed. Ensure that exposure to product is not at a concentration exceeding regulatory limits. Decontaminate the area thoroughly. Decontaminate all response equipment with soapy water before returning to service. Place all spill residue in a suitable container and seal.

## SECTION 7 - HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE HANDLING:** Keep out of reach of children. All employees who handle this material should be trained to handle it safely. Open containers slowly on a stable surface. As with all chemicals, avoid getting this product ON YOU or IN YOU. Avoid direct or prolonged contact with skin or eyes. Do not ingest. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors, dusts or mists generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately. Use only as directed. Refer to Section 8 for exposure controls.

**CONDITIONS FOR SAFE STORAGE:** Containers of this product must be properly labeled. Storage areas of this product should be clearly identified, well-illuminated, clear of obstruction and accessible only to trained and authorized personnel. Store containers in a clean, cool, well ventilated, dry location, away from direct sunlight, away from incompatible materials at temperatures between 50°F (10°C) - 100°F (37°C). Keep container tightly closed when not in use. P405: Store locked up. Do not ingest. Do not breathe vapor mist. Wash hands after handling. Refer to Section 10 for incompatibilities.

## SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation. Eyewash/safety shower station is recommended to be available near where this product is used/stored.

	used/stored.		
	EXPOSURE LIMITS IN AIR		
CAS#	ACGIH TLV TWA STEL	OSHA PEL TWA	OTHER
	CAS#	CAS# ACGIH TLV	EXPOSURE LIMITS IN AIR  CAS# ACGIH TLV OSHA PEL

NE = Not Established

INGESTION: Do not eat, drink, smoke, or apply cosmetics when handling this product. Wash all exposed

skin/hair thoroughly after handling.

RESPIRATORY PROTECTION: Avoid breathing dust/fume/gas/mist/vapours/spray. Maintain airborne contaminant

concentrations below guidelines listed above, if applicable. Air-purifying respirators with dust/mist/fume/spray filters are recommended if operations may produce dusts, mists or

sprays from this product with concentrations at or above levels posted above.

EYE PROTECTION: Wash all exposed skin/hair thoroughly after handling. Wear chemical safety goggles or safety

glasses with side shields. A face shield may also be necessary for splash protection.

SKIN PROTECTION: Wash all exposed skin/hair thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection. Use chemically-resistant gloves and skin protection, when handling this product. Use body protection appropriate for task (e.g., lab coat, overalls).

# SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE and COLOR: Thick clear amber VAPOR PRESSURE, mm Hg @ 20°C: 0.01 mmHg (Est)

liquid

ODOR: Mild VAPOR DENSITY (Air=1): > 1
ODOR THRESHOLD: Not established RELATIVE DENSITY@20°C (water=1): 1.063
pH: SOLUBILITY IN WATER: Soluble

MELTING/FREEZING POINT: Not established PARTITION COEFFICIENT(n-octanol/water) Not established **BOILING POINT:** Not established **AUTOIGNITION TEMPERATURE:** Not established FLASHPOINT: 438°F **DECOMPOSITION TEMPERATURE:** Not established EVAPORATION RATE (n-BuAc=1): < 1 VISCOSITY: Not established FLAMMABILITY (SOLID/GAS): Not established Not applicable VOLATILE ORGANIC COMPOUNDS (%)

FLAMMABLE LIMITS (in air by volume, %) Not established

## SECTION 10 - STABILITY AND REACTIVITY

**REACTIVITY:** Product is not reactive under standard ambient temperature and pressure.

**STABILITY:** Stable under normal condition of use and storage.

**POSSIBILITY OF HAZARDOUS** 

REACTIONS: None known.
CONDITIONS TO AVOID: None known.
INCOMPATIBLE MATERIALS: Acids, bases.

HAZARDOUS DECOMPOSITION

**PRODUCTS:** Thermal decomposition may result in oxides of carbon and nitrogen.

## SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICOLOGICAL EFFECTS: This product has not been tested. These statements have been derived from products of

Skin/eye contact and inhalation.

Oral/LD50/rat: = 27,565 mg/kg (LD50/rat).

LIKELY ROUTES OF EXPOSURE:

**RELATED SYMPTOMS:** May cause skin, eye, respiratory and gastrointestinal irritation.

DELAYED/IMMEDIATE/CHRONIC EFFECTS FROM SHORT AND

LONG TERM EXPOSURES: May cause skin, eye, respiratory and gastrointestinal irritation.

**NUMERICAL MEASURES OF** 

**TOXICITY:** Not established for this product.

**CARCINOGENICITY:** Concentrations of regulated carcinogenic compounds (from IARC, NTP or OSHA) do not exceed threshold SDS notification levels.

## SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

**ECOTOXICITY:** This product has not been tested.

PERSISTANCE AND DEGRADABILITY: No data available for this product. BIOLOGICAL ACCUMULATION POTENTIAL: No data available for this product.

**MOBILITY IN SOIL:** No data available for this product.

OTHER ADVERSE EFFECTS (i.e., hazardous to the ozone layer): No data available for this product.

BIOLOGICAL EXPOSURE INDICES: Currently, Biological Exposure Indices (BEIs) have not been determined for this product.

## SECTION 13 - DISPOSAL CONSIDERATIONS

**DISPOSAL:** P501: Dispose of contents/container in accordance with local/regional/national/international regulations. Rinse empty containers with water and use the rinse water to prepare the working solution. Refer to Section 8 for exposure controls - personal protection.

## SECTION 14 - TRANSPORTATION INFORMATION

## **PROPER SHIPPING NAME**

DOT: NOT REGULATED IMDG/IMO: NOT REGULATED IATA/ICAO: NOT REGULATED

**ENVIRONMENTAL HAZARDS** 

(i.e., MARINE POLLUTANT): None known.

TRANSPORT IN BULK (according to

annex II marpol 73/78 and the IBC code): Not applicable. SPECIAL PRECAUTIONS FOR USER: None known.

## SECTION 15 - REGULATORY INFORMATION

## **United States and International Regulations**

United States Regulations: U.S. SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting as listed below, requirements of Sections 302, 304, and 313 of Title of the Superfund Amendments and Reauthorization Act:

## **CHEMICAL NAME**

PROPRIETARY POLYMER SARA 302 (40 CFR 355, Appendix A) - NO SARA 304 (40 CFR Table 302 4) - NO

SARA 304 (40 CFR Table 302.4) - NÓ SARA 313 (40 CFR 372.65) - NO

## **U.S. Regulations**

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): N/A.

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory.

SARA Title 311/312, Hazard Category: Acute Health: NO; Chronic: NO; Fire: NO; Reactive: NO; Sudden Release of

Pressure: NO

California Safe Drinking Water and Toxic Enforcement Act (proposition 65): This product does contain chemical(s) known to the state of California to cause cancer, birth defects or other reproductive harm.

#### International Regulations

**CANADIAN REGULATIONS:** 

CANADIAN DSL/NDSL INVENTORY STATUS: The components of this product are on the DSL or NDSL Inventories or are exempt from listing.

CANADIAN WHMIS CLASSIFICATION: Not classified.

EUROPEAN REGULATIONS: This product does not contain hazardous substances specified in the Restricition of Certain Hazardous Substances (RoHS), in electrical and electronic equipment as adopted by the European Union in RoHS Directive 3 (EU 2015/863). Additionally, this product does not contain any chemicals on the Reach Restricted chemical list or the REACH SVHC list as of June 20, 2020.

## SECTION 16 - OTHER INFORMATION

PREPARED BY: G-C LUBRICANTS

**DATE OF REVISION: 8/16/2024** 

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purpose or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose.